

SAFETY DATA SHEET



Section 1: Identification

Product Name: Tempo

Trinity Fluids
41158 Koppnick Rd.
Canton, MI 48187
(810)-441-8006

Emergency Phone: Chemtrec 800-424-9300

Product Use: Autopsy Powder

Section 2: Hazard(s) Identification

GHS Ratings:

Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: $\geq 2.3 < 4.0$ or persistent inflammation
Eye corrosive	2B	Mild eye irritant: Subcategory 2B, Reversible in 7 days
Respiratory sensitizer	1B	Respiratory sensitizer
Skin sensitizer	1B	Skin sensitizer
Aquatic toxicity	A3	Acute toxicity ≤ 10.0 but < 100 mg/l

GHS Hazards

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H402	Harmful to aquatic life

GHS Precautions

P264	Wash face, hands, and any exposed skin thoroughly after handling
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection
P321	Specific treatment (see first aid treatment on SDS)
P362	Take off contaminated clothing and wash before reuse
P302+P352	If on skin: Wash with plenty of soap and water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice / attention
P337+P313	If eye irritation persists get medical advice / attention
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

Danger

**Section 3: Composition/Information on Ingredients**

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Talc 14807-96-6 36 percent		2 mg/m ³ TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	NIOSH: 2 mg/m ³ TWA (containing no Asbestos and <1% Quartz, respirable dust)
Paraformaldehyde 30525-89-4 13 percent			

Section 4: First-aid Measures**Inhalation**

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures**Extinguishing Media**

Use media suitable for the surrounding fire.

Specific Hazards Arising from the Chemical Decomposition products may be toxic; typical of wood smoke. Carbon oxides.

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA / NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures**Spill and Leak Procedures**

Dry product should be cleaned with a shovel or vacuum cleaner while wearing personal protective equipment. Washing the floor with water is not recommended since it may cause the floor to become slippery. However, if the product is already wet, and only in this case, the floor should be thoroughly flushed with water to remove all slipperiness.

SDS for: *Tempo*

Section 7: Handling and Storage

Handling Procedures

Use with adequate ventilation. Avoid breathing dusts, mists, and vapors. Do not get in eyes, on skin, or on clothing. Wear eye protection and protective clothing. Wash thoroughly after handling.

Storage Requirements

Store containers in a cool, dry, well ventilated place. Keep container closed when not in use.

Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Talc 14807-96-6		2 mg/m3 TWA (particulate matter containing no asbestos and <1% crystalline silica, respirable fraction)	NIOSH: 2 mg/m3 TWA (containing no Asbestos and <1% Quartz, respirable dust)
Paraformaldehyde 30525-89-4			

ENGINEERING CONTROLS: Provide ventilation sufficient to maintain exposure below the recommended limits.

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors. Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: Solid Tan Granules Mixed With White Granules Vapor Pressure: Not Available Vapor Density: Not Available Density: Not Available Freezing point: Not Available Boiling range: Not Available Evaporation rate: Not Available Explosive Limits: Not Available Autoignition temperature: Not Available Viscosity: Not Available	Odor: Lavender Odor threshold: Not Available pH: Not Available Melting point: Not Available Solubility: Not Available Flash point: Not Available Flammability: Not Available Specific Gravity: Not Available Decomposition temperature: Not Available Grams VOC less water: Not Available
---	--

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatible Materials

Strong oxidizers, caustics, acids.

Conditions to Avoid

Excessive heat.

Hazardous Decomposition Products

No data available. In the event of a fire see Section 5.

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity

Inhalation Toxicity LC50: 8mg/L

Component Toxicity

Routes of Entry:

Inhalation

Ingestion

Skin contact

Eye contact

Target Organs

Eyes

Cardiovascular System

Respiratory System

Effects of Overexposure

CAS Number

None

Description

% Weight

Carcinogen Rating

N/A

Section 12: Ecological Information

Component Ecotoxicity

Talc

96 Hr LC50 Brachydanio rerio: >100 g/L [semi-static]

Section 13: Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section 14: Transportation Information

DOT: Non Regulated

Section 15: Regulatory Information

CERCLA/SARA Hazardous Substances

30525-89-4 Paraformaldehyde

DEA List I and II Chemicals

- None

OSHA Process Safety Management Highly Hazardous Chemicals

- None

U.S. Clean Air Act Toxic and Flammable Substances

- None

SARA 313

- None

TSCA 8(b) Inventory

30525-89-4 Paraformaldehyde

14807-96-6 Talc

Country**Regulation****All Components Listed**

- None

Section 16: Other Information

Date Prepared: 9/19/2019

Sample SDS

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.