

MATERIAL SAFETY DATA SHEET

TRINITY FLUIDS

MSDS: 592
Date: 01/13/15

Page 1 of 3

IDENTIFICATION

Product Name
Chemical Family
Emergency Telephone
Company

SAP Incision Sealer

Cross linked polyacrylamide
800-255-8006
Trinity Fluids, Inc
550 Edwin Street
Westland MI 48186
Telephone: 810.441.8006
Fax: 810.519.4995

HAZARDOUS INGREDIENTS

Non hazardous under OSHA 29 CFR 1910.1200
HMIS Rating 1
0
1
B

FIRST AID

Skin Wash with warm soapy water after use.
Eye contact Immediately flush with water. If irritation continues, consult a physician.
Inhalation If dust is present, do not breathe. Move to open air with fresh air.
Ingestion Do not give any medication unless specified by a physician.

FIRE FIGHTING MEASURES

Flash Point N/A
LEL N/A
EUL N/A
Extinguishing Media Use water, carbon dioxide, foam.
Special precautions Material is slippery when wet
Special Protective Equipment None

ACCIDENTAL RELEASE

Sweep up spill and dispose. Spilled material is very slippery when wet.

MATERIAL SAFETY DATA SHEET
SAP Incision Sealer

HANDLING AND STORAGE

Storage	Store in a cool dry location. Keep lid tightly secured, avoid water and moisture.
Handling	Practice good industrial hygiene. Immediately sweep up any spills. To avoid potential dust, maintain good housekeeping. Do not smoke when using.

PERSONAL PROTECTION

Respiratory Protection	N/A
Protective Gloves	Recommended if prolonged use of product.
Eye Protection	N/A
Skin/Body Protection	No special suits required
Other	Wash affected areas after use.

PHYSICAL/CHEMICAL PROPERTIES

Appearance and color	White granular
Odor	None
pH	6.0-7.0
Melting Point	N/A
Flash Point	N/A
Vapor Density	N/A
Auto ignition	N/A

STABILITY

Stability	Stable
Polymerization	Will not occur
Conditions to avoid	None
Incompatible Material	Strong oxidizing agents

TOXICOLOGICAL

Acute Toxicity	
Inhalation	Non toxic by inhalation
Dermal	Non toxic
Oral	Non toxic; large amounts can cause GI Tract disturbance. LD50 Acute oral on rats > 5.0 gm/Kg.

IRRITATION

Eyes	Non irritating
Skin	Non irritating
Product does not contain any OSHA hazardous components.	

MATERIAL SAFETY DATA SHEET
SAP Incision Sealer

ECOLOGICAL

Considered non toxic to the environment

Fish: LC50/Danio rerio/96hr>150mg/l (OECD 203)
Algae: IC/50/scenedesmus subspicatis/72hr>100mg/l (OECD 201)
Daphnia: EC/50 daphnia magna/48hr>100mg/l (OECD 202)
Persistence/degradability: Not readily biodegradable

DISPOSAL

Dispose in accordance with city, state and federal regulations.

TRANSPORTATION

Not regulated by Department of Transportation.

REGULATORY

Components are on TSCA and Canada DSL.
Not regulated by OSHA. 29 CFR 1910.1200.

Hazardous Waster Number	N/A
RCRA Status	Not a hazardous waste

Reportable Quantity (40CFR 302)	N/A
Threshold planning Quantity (40CFR 335)	N/A

OTHER

NFPA	
Fire	1
Health	0
Reactivity	1

This information is given without any warranty or representation. We do not assume any legal responsibility for same. It is offered solely for your consideration, investigation and verification. Before using any product, read its label.

Trinity Fluids, Inc

550 Edwin Street
Westland, MI 48186
Phone: 810.441.8006
Fax: 810.519.4995